

The **CELLTRON® SECURE POWER BATTERY CONDUCTANCE TESTER** provides a simple method to screen the state-of-health of popularly sized 6 volt and 12 volt sealed lead-acid batteries for security systems, emergency lighting, mobility vehicles, uninterruptible and power supplies.

Features:

- · Utilizes patented conductance technology
- Conductance method recognized by IEEE standard for the testing of lead-acid batteries with proven correlation to battery capacity.
- · Helps to ensure the operation of critical systems despite power loss
- Prioritizes battery replacements and additional testing for cost-effective system management

Operating Range

- Offline testing of 6 and 12 volt nominal batteries from 1.2 to approximately 55 ampere hours in capacity
- Voltmeter: +6.0 to +14.0 VDC
- · Conductance: 20 to 1200 siemens

1.630.323.2800

1.866.592.8053

Operating Temperature: -18 to 50°C (0 to 120°F)





Corporate Headquarters

Willowbrook, IL USA

Canadian Inquiries

Phone:

Toll Free:



Midtronics b.v.

European Headquarters Houten, The Netherlands Serving Europe, Africa, the Middle East,

and The Netherlands

Phone: +31 306 868 150

European Sales Locations

Houten, The Netherlands Paris, France, Dusseldorf, Germany

Midtronics China Office

China Operations Shenzhen, China

Phone: +86 755 8202 2037

www.midtronics.com

Midtronics India Mumbai, India

Phone: +91.989 237 6661

Latin America

Asia/Pacific (excluding China) Contact Corporate Headquarters

Phone: +1.630.323.2800

©2011 Midtronics, Inc 190-068aEN